## Molecularly precise electronic induction of on-surface tandem radical oligomerization

Gaolei Zhan<sup>1</sup>, Younes Makoudi<sup>1</sup>, Judicael Jeannoutot<sup>1</sup>, Michel Féron<sup>1</sup>, Frank Palmino<sup>1</sup>, Marie-Laure Bocquet<sup>2</sup>, Christophe M. Thomas<sup>3</sup>, and <u>Frédéric Chérioux<sup>1</sup></u>

<sup>1</sup> Institut FEMTO-ST, Univ. Bourgogne Franche-Comté, CNRS, 15B Avenue des Montboucons, F-25030 Besançon cedex, France

<sup>2</sup> Laboratoire PASTEUR, Département de chimie, Ecole Normale Supérieure de Paris, PSL Research University, Sorbonne Universités, UPMC Univ. Paris 06, CNRS, 75005 Paris, France

<sup>3</sup> Chimie ParisTech, PSL Research University, CNRS, Institut de Recherche de Chimie Paris, 75005 Paris, France

Over the past decade, on-surface fabrication of organic nanostructures has been widely investigated for the development of molecular electronic devices, nanomachines, and new materials. Here, we introduce a new strategy to obtain alkyl oligomers in a controlled manner using on-surface radical tandem reactions that are triggered by the electrons between the sample surface and the tip of a scanning tunnelling microscope. The resulting radical-mediated mechanism is substantiated by a detailed theoretical study. This single-electron transfer event allows access to reactive radical species under exceptionally mild conditions and can effectively 'switch on' a tandem sequence leading to formation of oligomers of defined size distribution due to the on-surface confinement of reactive species. Our approach enables new ways to initiate and control radical oligomerisations with tunnelling electrons, leading to molecularly precise nanofabrication.

